

CABLE MANAGERS / DESKTOP INTERFACES




MOTORIZED RETRACTABLE CABLE MANAGER NEW

LG-804MRC-N23





Available Connectivity Modules :



Features

- Experience the effortless operation of a Push Button lid with just a single press button
- A compact cable manager enclosure (LG-804MRC-N23) provision to fix any 4 modules i.e. HDMI 2.0V, Type A USB 3.2 Gen 1, Type C USB 3.2 Gen 1, CAT 6 Network/RJ-45, DP 1.2V, Mini DP 1.2V and VGA+Audio (3.5mm) with round Male to Female cables
- Enclosure Default connectivity comes with 2 x Universal Power Socket, 1 x USB-A Mobile Charger, 1 x USB-C Mobile Charger
- Total Length of Cable used in retractor module : 3 m
- Input Cable Length (Source) : 1.6 m
- Output cable Length (Display) : 0.85 m
- Rolling mechanism : 0.55 m
- Indulge in the convenience of Pull and Stop functionality
- Effortlessly cable retracts to the initial position by single press and hold
- Product Weight : 3.1 kg
- Shipping Weight : 3.7 kg
- Shipping Dimension (L x W x H) : 400 x 210 x 170 mm
- Color Available : Black



*Dimensions in mm

LG-805RC2P4M

RETRACTABLE SERIES



Available Connectivity Modules :



HDMIRC Module

USBRC Module

TCRC Module



RJ45RC Module

DPRC Module



MDPRC Module

VGARC Module



Features

- A compact cable manager enclosure (LG-805RC2P4M) provision to fix any 4 modules i.e. HDMI 2.0V, Type A USB 3.2 Gen 1, Type C USB 3.2 Gen 1, CAT 6 Network/RJ-45, DP 1.2V, Mini DP 1.2V and VGA+Audio (3.5mm) with round Male to Female cables
- Enclosure Default connectivity comes with 2 x Universal Power Socket, 1 x USB-A Mobile Charger
- Combination of any 4 Modules
- Intuitive Use - Pull and stop or pull and retract
- Easy to Install
- Total Length of Cable used in retractor module : 3 m
- Input Cable Length (Source) : 1.4 m
- Output cable Length (Display) : 0.8 m
- Rolling mechanism : 0.8 m
- Product Weight : 2.5 kg
- Shipping Weight : 3.5 kg
- Shipping Dimension (L x W x H) : 350 x 220 x 220 mm
- Color Available : Black



*Dimensions in mm

SIDE SLIDING CABLE MANAGER

LM-306SS
MANUAL SERIES






Table Cutout

Connectivity



- 2 x Universal Power
- 2 x USB-A Mobile Charger
- 1 x HDMI 2.0V
- 1 x Type C USB 3.1V
- 1 x CAT 6A Network/RJ-45



When Opened



When Closed



*Dimensions in mm

VERTICAL SLIDING CABLE MANAGER

LM-306VS-WC

MANUAL SERIES



Connectivity

- 1 x Wireless Mobile Charger
- 2 x Universal Power Socket
- 2 x USB-A Mobile Charger
- 1 x HDMI 2.0V
- 1 x Type C USB 3.1V
- 1 x CAT 6A Network/RJ-45








Table Cutout



When Opened




When Closed



*Dimensions in mm

LM-302

MANUAL SERIES




Connectivity

- 2 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x HDMI 2.0V
- 2 x CAT 6 Network/RJ-45
- 1 x 3.5 mm Audio
- 1 x VGA

LM-305WC-N19

MANUAL SERIES




Connectivity

- 1 x Wireless Mobile Charger
- 1 x Universal Power
- 1 x HDMI 2.0V
- 1 x CAT 6A Network/RJ-45
- 1 x 3.5 mm Audio
- 1 x VGA

LM-305-N19

MANUAL SERIES



Connectivity

- 1 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x HDMI 2.0V
- 1 x CAT 6A Network/RJ-45
- 1 x 3.5 mm Audio
- 1 x VGA

*Dimensions in mm

SIDE SLIDING CABLE MANAGER

LC-406SS

CABLE CUBBY SERIES






Table Cutout

Connectivity



- 2 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x USB-C Mobile Charger
- 1 x HDMI 2.0V
- 1 x Type A USB 3.2 Gen 1
- 1 x Type C USB 3.2 Gen 1
- 1 x CAT 6 Network/RJ-45



When Opened



When Closed



*Dimensions in mm

VERTICAL SLIDING CABLE MANAGER

LC-406VS-WC

CABLE CUBBY SERIES



Connectivity

- 1 x Wireless Mobile Charger
- 2 x Universal Power Socket
- 2 x USB-A Mobile Charger
- 1 x HDMI 2.0V
- 1 x Type A USB 3.2 Gen 1
- 1 x Type C USB 3.2 Gen 1
- 1 x CAT 6 Network/RJ-45








Table Cutout



When Opened




When Closed



*Dimensions in mm

LC-403-N19

CABLE CUBBY SERIES



Connectivity

- 1 x Universal Power
- 1 x USB-A Mobile Charger
- 2 x HDMI 2.0V
- 1 x Type A USB 3.2 Gen 1
- 1 x Type C USB 3.2 Gen 1
- 2 x CAT 6 Network/RJ-45


Available Options

- 1 x Mini DP 1.2V
- 1 x 3.5 mm Audio
- 1 x VGA

Note: Combination of any 6 cables

LC-404-N19

CABLE CUBBY SERIES



Connectivity

- 2 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x USB-C Mobile Charger
- 2 x HDMI 2.1V
- 1 x Type A USB 3.2 Gen 1
- 1 x Type C USB 3.2 Gen 1
- 2 x CAT 6 Network/RJ-45


Available Options

- 1 x Mini DP 1.2V
- 1 x 3.5 mm Audio
- 1 x VGA

Note: Combination of any 6 cables

LC-404-N23 **NEW**

CABLE CUBBY SERIES



Connectivity

- 2 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x USB-C Mobile Charger
- 2 x HDMI 2.0V
- 1 x Type A USB 3.2 Gen 1
- 1 x Type C USB 3.2 Gen 1
- 2 x CAT 6 Network/RJ-45

Available Options


- 1 x Mini DP 1.2V
- 1 x 3.5 mm Audio
- 1 x VGA

Note: Combination of any 6 cables

*Dimensions in mm

LG-501H-IN

HYDRAULIC SERIES




Connectivity

- 1 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x HDMI 2.0V
- 1 x Type C USB 3.1V
- 1 x CAT 6A Network/RJ-45

LG-502H-IN

HYDRAULIC SERIES



Connectivity

- 2 x Universal Power
- 2 x USB-A Mobile Charger
- 1 x HDMI 2.0V
- 1 x Type C USB 3.1V
- 2 x CAT 6A Network/RJ-45


*Dimensions in mm

LG-603M **NEW**
 ROTATING MOTORIZED SERIES



Connectivity

- 2 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x USB-C Mobile Charger
- 2 x HDMI 2.0V
- 1 x Type-C USB 3.2 Gen 2
- 2 x CAT 6 Network/RJ-45




LG-601R
 ROTATING MANUAL SERIES



Connectivity

- 2 x Universal Power
- 2 x USB-A Mobile Charger
- 1 x HDMI 2.0V
- 2 x CAT 6 Network/RJ-45
- 1 x 3.5 mm Audio
- 1 x VGA



*Dimensions in mm

LG-MAR01

MULTI ADAPTER RING



Connectivity



LG-MAR02

MULTI ADAPTER RING - 4 INCH CABLE



Connectivity



Note: There is a provision for connecting MFI Certified Lightning to HDMI Cable (Optional)

WORKSTATION CABLE MANAGERS





LG-ITF-PD **NEW**



Connectivity

- 1 x Power On & Off Switch
- 2 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x USB-C Mobile Charger
- 1 x CAT 6A Network/RJ-45



LG-ITF-306VS-WC **NEW**

Connectivity

- 1 x Mobile Wireless Charger
- 1 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x USB-C Mobile Charger
- 1 x CAT 6A Network/RJ-45

*Mobile Wireless Charging






Table Cutout



When Opened



When Closed

*Dimensions in mm

LG-ITF-306VS **NEW**



Connectivity

- 1 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x USB-C Mobile Charger
- 1 x CAT 6A Network/RJ-45






Table Cutout




When Opened




When Closed

LG-ITF-305 **NEW**




Connectivity

- 1 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x USB-C Mobile Charger
- 1 x CAT 6A Network/RJ-45



*Dimensions in mm

LG-ITF-305WC **NEW**



Connectivity


- 1 x Mobile Wireless Charger
- 1 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x USB-C Mobile Charger
- 1 x CAT 6A Network/RJ-45

LG-ITF-307 **NEW**




Connectivity


- 2 x Universal Power
- 1 x USB-A Mobile Charger
- 1 x USB-C Mobile Charger



Top View



Front View



Side view






Table Cutout

*Dimensions in mm

WORKSTATION MOBILE WIRELESS CHARGER



LG-WC15W-R **NEW**



Connectivity

- 1 x Mobile Wireless Charger

LG-WC15W-S **NEW**



Connectivity

- 1 x Mobile Wireless Charger

*Dimensions in mm

FACEPLATES




FIXED FACEPLATE

LF-401




Connectivity

- 1 x CAT 6A Network/RJ-45
- 1 x HDMI 2.0V
- 1 x Type A USB 3.0V
- 1 x Type C USB 3.2 Gen 1
- Available in Black



FRONT VIEW

LF-101



Connectivity

- 1 x CAT 5E Network/RJ-45
- 1 x VGA
- 1 x 3.5 mm Audio
- Back box will be optional

LF-102



Connectivity

- 1 x VGA
- 1 x HDMI 2.0V
- 1 x USB-A 1.0V
- 1 x 3.5 mm Audio and Audio (R/L)
- 1 x Component
- Back box will be optional

*Dimensions in mm